


Description **Isobornyl methacrylate****IBOMA**Empirical Formula $C_{14}H_{22}O_2$

CAS No. 7534-94-3

Application

IBOMA applies for solvent-based acrylic resins, solventless acrylic, adhesive, plastics and others.

Sales Specifications

Degree of purity	min.98.0% (GC)
Acid content	max.0.10% (as MAA)
Water content	max.0.10% (K.Fischer)
Color	max.30 (Pt-Co)
Stabilization	100±50ppm MEHQ

Note: Stabilization quantity can be added according to clients' need.

Physical Data

Appearance	clear, colorless liquid
Molecular weight	222.32g/mol
Density	0.983 g/cm ³ at 25 °C
Refractive index	n ₂₀ /D 1.477(lit.)
Boiling point	127 - 129 °C at 20 hPa - lit.
Viscosity	8.39 mm ² /s at 20 °C
Flashpoint	114 °C - Pensky-Martens closed cup
Water solubility	5.44 g/l at 20 °C

Packaging

Steel drums, 200kg net weight, or stainless steel tank.

Storage

Store the products in cool, shady and ventilated conditions.
Keep far away from fire.

Transportation

Avoid shine, rain and high temperature in transportation.

Legal notice

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of HCCHEM's knowledge or obtained from source believed by HCCHEM to be accurate, and HCCHEM does not assume any legal responsibility for use or reliance upon same. Tests should be carried out only by chemists or chemically qualified lab technicians. Before using any chemical, read its label and Material Safety Data Sheet.

For more information contact:

Shanghai HeChuang Chemical Technology Co., Ltd.

Tel: 021-37285183

Fax: 021-37285163

E-mail: anff@he-ch.com

www.he-ch.com